Author index

Volume 120 (1996)

A.D.E.P. Group, see Violi, F. 120, 25 Alperovitch, A., see Bizbiz, L. 120, 47 Angell, A.D.R., see Graham, A. 120, 135 Aoshima, K., see Morishita, E. 120, 7 Asakura, H., see Morishita, E. 120, 7 Attia, N., see Durlach, V. 120, 155

Balazs, N.D., see Hodgson, J.M. 120, 147

Berr, C., see Bizbiz, L. 120, 47

Bizbiz, L., C. Bonithon-Kopp, P. Ducimetierè, C. Berr, A. Alperovitch, L. Robert, Relation of serum elastase activity to ultrasonographically assessed carotid artery wall lesions and cardiovascular risk factors. The EVA study 120, 47

Blann, A.D., J.M. Wang, P.B. Wilson, S. Kumar, Serum levels of the TGF-beta receptor are increased in atherosclerosis 120, 221

Boissonneault, G.A., see Ramasamy, S. 120, 199

Bonithon-Kopp, C., see Bizbiz, L. 120, 47

Bostom, A.G., D. Shemin, D. Yoburn, D. H. Fisher, M.R. Nadeau, J. Selhub, Brief report 120, 241

Boxall, J.A., see Hodgson, J.M. 120, 147

Braeckman, L., D. De Bacquer, M. Rosseneu, G. De Backer, Apolipoprotein E polymorphism in middle-aged Belgian men: phenotype distribution and relation to serum lipids and lipoproteins 120, 67

Bresson, R., see Igau, B. 120, 209
Bult, H., see M. Kockx, M. 120, 115

Bultinck, J., see M. Kockx, M. 120, 115

Castiglioni, C., see Violi, F. 120, 25

Chen, C.-J., see Tseng, C.-H. **120**, 125 Chong, C.-K., see Tseng, C.-H. **120**, 125

Cianflone, K., R. Kohen Avramoglu, C. Sawyez, M.W. Huff, Inhibition of lipoprotein lipase induced cholesterol ester accumulation in human hepatoma HepG2 cells 120, 101

Clavey, V., see Igau, B. 120, 209 Criqui, M., see Violi, F. 120, 25

De Backer, G., see Braeckman, L. 120, 67 De Bacquer, D., see Braeckman, L. 120, 67 de Fouw, N.J., see Wiseman, S.A. 120, 15 De Meyer, G.R.Y., see M. Kockx, M. 120, 115

Drouin, P., see Igau, B. 120, 209

Ducimetierè, P., see Bizbiz, L. 120, 47

Duriez, P., see Igau, B. 120, 209

Durlach, V., N. Attia, A. Zahouani, M. Leutenegger, A. Girard-Globa, Postprandial cholesteryl ester transfer and high density lipoprotein composition in normotriglyceridemic non-insulin-dependent diabetic patients 120, 155

Fiévet, C., see Igau, B. 120, 209

Fisher, D.H., see G. Bostom, A. 120, 241

Forster, B.A., Q. Javed, D.S. Leake, P.D. Weinberg, Letter to the Editors High-resolution mapping of the frequency of lipid deposits in thoracic aortae from cholesterol-fed and heritable hyperlipidaemic rabbits 120, 249

Fruchart, J.-C., see Igau, B. 120, 209

Fujioka, Y., see Takahashi, A. 120, 93

Færgeman, O., see Jensen, H.K. 120, 57

George, S.J., A. Williams, A.C. Newby, An essential role for platelet-derived growth factor in neointima formation in human saphenous vein in vitro 120, 227

Girard-Globa, A., see Durlach, V. 120, 155

Graham, A., A.D.R. Angell, C.A. Jepson, S.J. Yeaman, D.G. Hassall, Impaired mobilisation of cholesterol from stored cholesteryl esters in human (THP-1) macrophages 120, 135

Graham, C.A., see Ward, A.J. 120, 83 Gregersen, N., see Jensen, H.K. 120, 57 Guo, H., see Ramasamy, S. 120, 199

Hakamata, H., see Suginohara, Y. 120, 167 Hansen, P.S., see Jensen, H.K. 120, 57

Harbinata T. and Manichita F. 120, 37

Hashimoto, T., see Morishita, E. 120, 7

Hassall, D.G., see Graham, A. 120, 135

Haffner, S.M., see Kammerer, C.M. 120, 37

Härkönen, M., see Tikkanen, H.O. 120, 1

Hennig, B., see Ramasamy, S. 120, 199

Herman, A.G., see M. Kockx, M. 120, 115 Hixson, J.E., see Kammerer, C.M. 120, 37

Hodgson, J.M., M.L. Wahlqvist, J.A. Boxall, N.D. Balazs, Platelet trans fatty acids in relation to angiographically assessed coronary artery disease 120, 147

Holmqvist, O., Letter to the Editors 120, 245 Horiuchi, S., see Suginohara, Y. 120, 167 Hosogaya, S., see Kinoshita, M. 120, 75 Huff, M.W., see Cianflone, K. 120, 101

Igau, B., S. Lestavel, V. Clavey, C. Slomianny, P. Drouin, R. Bresson, J.-C. Fruchart, P. Duriez, C. Fiévet, Ishikawa, Y., see Takahashi, A. 120, 93

Javed, Q., see Forster, B.A. 120, 249
 Jensen, H.K., L.G. Jensen, P.S. Hansen, O. Færgeman, N. Gregersen, The Trp²³-Stop and Trp⁶⁶-Gly mutations in the LDL receptor gene: common causes of familial hypercholesterolemia in Denmark 120, 57

Jensen, L.G., see Jensen, H.K. 120, 57 Jepson, C.A., see Graham, A. 120, 135 Jokaji, H., see Morishita, E. 120, 7

Kajinami, K., M. Nishitsuji, Y. Takeda, M. Shimizu, J. Koizumi, H. Mabuchi, Long-term probucol treatment results in regression of xanthomas, but in progression of coronary atherosclerosis in a heterozygous patient with familial hypercholesterolemia 120, 181

Kammerer, C.M., J.L. VandeBerg, S.M. Haffner, J.E. Hixson, Apolipoprotein B (apo B) signal peptide length polymorphisms are associated with apo B, low density lipoprotein cholesterol, and glucose levels in Mexican Americans 120,

Kaneko, K., see Kinoshita, M. 120, 75 Katan, M.B., see Zock, P.L. 120, 247

Kinoshita, M., T. Teramoto, N. Shimazu, K. Kaneko, M. Ohta, T. Koike, S. Hosogaya, Y. Ozaki, S. Kume, M. Yamanaka, CETP is a determinant of serum LDL-cholesterol but not HDL-cholesterol in healthy Japanese 120, 75

Kockx, M.M., G.R.Y. De Meyer, J. Muhring, H. Bult, J. Bultinck, A.G. Herman, Distribution of cell replication and apoptosis in atherosclerotic plaques of cholesterol-fed rabbits 120, 115

Kohen Avramoglu, R., see Cianflone, K. 120, 101 Koike, T., see Kinoshita, M. 120, 75 Koizumi, J., see Kajinami, K. 120, 181 Kumabashiri, I., see Morishita, E. 120, 7 Kumar, S., see Blann, A.D. 120, 221 Kume, S., see Kinoshita, M. 120, 75

Leake, D.S., see Forster, B.A. 120, 249 Lestavel, S., see Igau, B. 120, 209 Leutenegger, M., see Durlach, V. 120, 155 Lipke, D.W., see Ramasamy, S. 120, 199 Longoni, A., see Violi, F. 120, 25

Mabuchi, H., see Kajinami, K. 120, 181 Mathot, J.N.N.J., see Wiseman, S.A. 120, 15 Matsuda, I., see Suginohara, Y. 120, 167
Matsuda, T., see Morishita, E. 120, 7
Miyazaki, A., see Suginohara, Y. 120, 167
Morishita, E., H. Asakura, H. Jokaji, M. Saito, C. Uotani, I. Kumabashiri, M. Yamazaki, K. Aoshima, T. Hashimoto, T. Matsuda, Hypercoagulability and high lipoprotein(a) levels in patients with type II diabetes mellitus 120, 7
Muhring, J., see M. Kockx, M. 120, 115

Nadeau, M.R., see G. Bostom, A. 120, 241 Näveri, H., see Tikkanen, H.O. 120, 1 Nevin, N.C., see Ward, A.J. 120, 83 Newby, A.C., see J. George, S. 120, 227 Nicholls, D.P., see Ward, A.J. 120, 83 Nishitsuji, M., see Kajinami, K. 120, 181

O'Kane, M., see Ward, A.J. 120, 83 Ohta, M., see Kinoshita, M. 120, 75 Ohta, T., see Suginohara, Y. 120, 167 Ozaki, Y., see Kinoshita, M. 120, 75

Ramasamy, S., D.W. Lipke, G.A. Boissonneault, H. Guo, B. Hennig, Oxidized lipid-mediated alterations in proteoglycan metabolism in cultured pulmonary endothelial cells 120,

Robert, L., see Bizbiz, L. 120, 47 Rosseneu, M., see Braeckman, L. 120, 67

Saito, M., see Morishita, E. 120, 7 Sakamoto, Y.-I., see Suginohara, Y. 120, 167 Sawyez, C., see Cianflone, K. 120, 101 Selhub., see G. Bostom, A. 120, 241 Shemin, D., see G. Bostom, A. 120, 241 Shimazu, N., see Kinoshita, M. 120, 75 Shimizu, M., see Kajinami, K. 120, 181 Slomianny, C., see Igau, B. 120, 209

Suginohara, Y., A. Miyazaki, H. Hakamata, Y.-I. Sakamoto, T. Ohta, I. Matsuda, S. Horiuchi, The heparin-bound fraction of human lipoprotein-deficient serum inhibits endocytic uptake of oxidized low density lipoprotein by macrophages 120, 167

Tai, T.-Y., see Tseng, C.-H. 120, 125
Takahashi, A., T. Taniguchi, Y. Fujioka, Y. Ishikawa, M. Yokoyama, Effects of lipoprotein(a) and low density lipoprotein on growth of mitogen-stimulated human umbilical vein endothelial cells 120, 93

Takeda, Y., see Kajinami, K. 120, 181 Taniguchi, T., see Takahashi, A. 120, 93 Teramoto, T., see Kinoshita, M. 120, 75 Tijburg, L.B.M., see Wiseman, S.A. 120, 15

Tikkanen, H.O., H. Näveri, M. Härkönen, Viewpoint Skeletal muscle fiber distribution influences serum high-density lipoprotein cholesterol level 120, 1

Tseng, C.-H., C.-K. Chong, C.-J. Chen, T.-Y. Tai, Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan 120, 125

Uotani, C., see Morishita, E. 120, 7

van Tol, A., see Zock, P.L. 120, 247

VandeBerg, J.L., see Kammerer, C.M. 120, 37

Violi, F., M. Criqui, A. Longoni, C. Castiglioni, The A.D.E.P. Group, Relation between risk factors and cardiovascular complications in patients with peripheral vascular disease. Results from the A.D.E.P. study 120, 25

Wahlqvist, M.L., see Hodgson, J.M. 120, 147

Wang, J.M., see Blann, A.D. 120, 221

Ward, A.J., M. O'Kane, D.P. Nicholls, I.S. Young, N.C. Nevin, C.A. Graham, A novel single base deletion in the LDLR gene (211delG): Effect on serum lipid profiles and the influence of other genetic polymorphisms in the ACE, APOE and APOB genes 120, 83

Weinberg, P.D., see Forster, B.A. 120, 249

Williams, A., see J. George, S. 120, 227

Wilson, P.B., see Blann, A.D. 120, 221

Wiseman, S.A., J.N.N.J. Mathot, N.J. de Fouw, L.B.M. Tijburg, Dietary non-tocopherol antioxidants present in extra virgin olive oil increase the resistance of low density lipoproteins to oxidation in rabbits 120, 15

Yamanaka, M., see Kinoshita, M. 120, 75

Yamazaki, M., see Morishita, E. 120, 7

Yeaman, S.J., see Graham, A. 120, 135

Yoburn, D., see G. Bostom, A. 120, 241

Yokoyama, M., see Takahashi, A. 120, 93 Young, I.S., see Ward, A.J. 120, 83

Yu, P.H., D.M. Zuo, Formaldehyde produced endogenously via deamination of methylamine. A potential risk factor for initiation of endothelial injury 120, 189

Zahouani, A., see Durlach, V. 120, 155

Zock, P.L., A. van Tol, M.B. Katan, Reply 120, 247

Zuo, D.M., see Yu, P.H. 120, 189





Atherosclerosis 120 (1996) 264-265

Subject index

Volume 120 (1996)

ACE 120, 83

Aging lipoproteins 120, 47

Alcohol intake 120, 75

Amine oxidase 120, 189

Antioxidant 120, 15

Apo E polymorphism 120, 67

Apolipoprotein B 120, 37, 83, 209

Apolipoprotein E 120, 83

Apolipoproteins 120, 75

Apoptosis 120, 115

Arsenic 120, 125

Arteriosclerosis 120, 227

Atherogenesis 120, 209

Atherosclerosis 120, 47, 115, 189, 199, 221

Atherosclerosis distribution 120, 249

Blackfoot disease 120, 125

Cardiovascular disease 120, 25

Cardiovascular risk factor 120, 47

Cell proliferation 120, 227, 93

Cell replication 120, 115

Cerebrovascular disease 120, 25

Cholesterol 120, 115

Cholesteryl esters 120, 135

Cholesteryl ester transfer protein 120, 75, 155

Cigarette smoking 120, 75

Conjugated diene formation 120, 15

Coronary artery bypass grafting 120, 227

Coronary artery disease 120, 147

Coronary atherosclerosis 120, 181

Coronary heart disease 120, 1, 7

Cytotoxicity 120, 189

Diabetes 120, 189

Diabetes mellitus 120, 7

Elaidic acid 120, 147

Elastase 120, 47

Endothelial cells 120, 93, 199, 221

Endothelial injury 120, 189

Epidemiology 120, 47, 67

Epitopes 120, 209

Familial hypercholesterolaemia 120, 83

Familial hypercholesterolemia 120, 57, 181

Fat load 120, 155

FHHL rabbits 120, 249

Fibrinogen 120, 7, 25

Fluorescent sequencing 120, 83

Foam cells 120, 115, 135

Formaldehyde 120, 189

Genetics 120, 37

Glucose 120, 37

Growth factors 120, 227

HDL 120, 155

Hepatocyte 120, 101

High-density lipoprotein cholesterol 120, 1

Hypercholesterolaemia 120, 221

Hyperhomocysteinema 120, 241

In situ end labeling 120, 115

Insulin-dependent diabetes mellitus 120, 209

LDL receptor 120, 209

LDLR mutation 120, 83

Lecithin cholesterol acyl transferase 120, 155

Lifestyle 120, 67

Lipid deposits 120, 249

Lipids 120, 37

Lipoprotein(a) 120, 7, 93

Lipoprotein-deficient serum 120, 167

Lipoprotein particle 120, 209

Lipoproteins 120, 67, 75, 101, 135

Low density lipoprotein 120, 15, 93

Low density lipoprotein receptor 120, 57

Macrophage 120, 167

Macrophages 120, 135

Methylamine 120, 189

Mexican Americans 120, 37 Muscle fiber types 120, 1 Mutations 120, 57

N-acetylcysteine 120, 241 NIDDM 120, 155 NZW rabbits 120, 249

Olive oils 120, 15 Oxidized lipids 120, 199 Oxidized low density lipoprotein 120, 167

Peripheral vascular disease 120, 25, 125
Plasminogen activator inhibitor-1 120, 7
Polymorphism 120, 83
Polyphenols 120, 15
Probucol 120, 181
Proteoglycan 120, 101
Proteoglycans 120, 199

Rabbits 120, 15 Renal failure 120, 241 Retinyl palmitate 120, 155 Reverse cholesterol transport 120, 75 Risk factors 120, 25

Scavenger receptor 120, 167
Single-strand conformation polymorphisms 120, 57
Skeletal muscle 120, 1
Smooth muscle cell 120, 115
Soluble E-selectin 120, 221

TGF-beta receptor 120, 221 Thrombin-antithrombin III complex 120, 7 Trans fatty acids 120, 147 Treatment 120, 241

von Willebrand factor 120, 221 Vascular smooth muscle 120, 227 VLDL 120, 101

Water pollutant 120, 125 White blood cells 120, 25

Xanthoma 120, 181

266 Contents

Contents continued from back cover

Impaired mobilisation of cholesterol from stored cholesteryl esters in human (THP-1) macrophages	
A. Graham, A.D.R. Angell, C.A. Jepson, S.J. Yeaman, D.G. Hassall (UK) Platelet <i>trans</i> fatty acids in relation to angiographically assessed coronary artery disease	135
J.M. Hodgson, M.L. Wahlqvist, J.A. Boxall, N.D. Balazs (Australia)	147
Postprandial cholesteryl ester transfer and high density lipoprotein composition in nor- motriglyceridemic non-insulin-dependent diabetic patients	
V. Durlach, N. Attia, A. Zahouani, M. Leutenegger, A. Girard-Globa (France)	155
The heparin-bound fraction of human lipoprotein-deficient serum inhibits endocytic uptake of oxidized low density lipoprotein by macrophages	
Y. Suginohara, A. Miyazaki, H. Hakamata, YuI. Sakamoto, T. Ohta, I. Matsuda, S. Horiuchi (Japan)	167
Long-term probucol treatment results in regression of xanthomas, but in progression of coronary atherosclerosis in a heterozygous patient with familial hypercholesterolemia	
K. Kajinami, M. Nishitsuji, Y. Takeda, M. Shimizu, J. Koizumi, H. Mabuchi (Japan)	181
Formaldehyde produced endogenously via deamination of methylamine. A potential risk factor for initiation of endothelial injury	
P.H. Yu, D.M. Zuo (Canada)	189
Oxidized lipid-mediated alterations in proteoglycan metabolism in cultured pulmonary endothelial cells	100
S. Ramasamy, D.W. Lipke, G.A. Boissonneault, H. Guo, B. Hennig (USA)	199
Apo B-containing lipoprotein particles in poorly controlled insulin-dependent diabetes B. Igau, S. Lestavel, V. Clavey, C. Slomianny, P. Drouin, R. Bresson, JC. Fruchart, P. Duriez,	
C. Fiévet (France)	209
Serum levels of the TGF-beta receptor are increased in atherosclerosis	203
A.B. Blann, J.M. Wang, P.B. Wilson, S. Kumar (UK)	221
An essential role for platelet-derived growth factor in neointima formation in human saphenous	4.4.1
vein in vitro	
S.J. George, A. Williams, A.C. Newby (UK)	227
Brief report	
Lack of effect of oral N-acetylcysteine on the acute dialysis-related lowering of total plasma homocysteine in hemodialysis patients	
A.G. Bostom, D. Shemin, D. Yoburn, D.H. Fisher, M.R. Nadeau, J. Selhub (USA)	241
Letters of the Editors	
Trans fatty acids in hardened vegetable oils	
O. Holmqvist (Sweden)	245
Reply	
P.L. Zock, A. van Tol, M.B. Katan (The Netherlands)	247
High-resolution mapping of the frequency of lipid deposits in thoracic aortae from cholesterol-	
fed and heritable hyperlipidaemic rabbits	
B.A. Forster, Q. Javed, D.S. Leake, P.D. Weinberg (UK)	249
Book review	255
Obituary	257
Announcement	259
Author index	261
Subject index	264

